

RodiCare® Bac Pro

Feed supplement for rabbits
and guinea pigs

Status 08/25



RodiCare® Bac Pro is a feed supplement for rabbits and guinea pigs that contains plant-based ingredients as well as a high proportion of postbiotics. Postbiotics are bioactive metabolic products produced by probiotic microorganisms. These include, for example, short-chain fatty acids, lactic acids, enzymes, and peptides. Unlike the live microorganisms contained in probiotics, which must first successfully colonize the gut before they can produce metabolic substances, postbiotics are available in their active form right away. This means immediate support without relying on live microorganisms. The highly palatable paste can be easily administered on top of the feed or directly into the mouth. Thanks to the synergistic combination of prebiotics and postbiotics, RodiCare® Bac Pro helps promote a stable intestinal environment, making an important contribution to overall well-being.

Composition:

Glycerine, inactivated bacteria and parts of them (Lactobacillus acidophilus, inactivated, Limosilactobacillus fermentum, inactivated, Lactiplantibacillus plantarum, inactivated, Bifidobacterium longum subsp. longum, inactivated, Bifidobacterium bifidum, inactivated) 5%, liquorice, inulin (chicories), fennel seeds, dried peppermint leaves, caraway seeds, grass meal, dried camomile flowers, dried blueberry leaves, linseed meal, alfalfa flour

Analytical components:

Crude protein 2.0%, crude fat 1.1%, crude fibre 2.2%, crude ash 10.3%, calcium 0.2%, phosphorous 0.05%, sodium 0.21%, magnesium 0.16%, lysine 0.09%, methionine 0.03%, moisture 49.6%, NfE 34.8%

Additives per 1000 ml:

Technological additives: Bentonite (1m558i) 100,000 mg, potassium sorbate (1k202) 3,000 mg, citric acid (1a330) 2,500 mg

Feeding recommendation:

To be given with food or directly into the mouth.

Rabbits, dwarf rabbits: 1 x daily 2 ml

Guinea pigs: 1 x daily 1 ml

Recommended period of use:

Up to four weeks

Minimum dose: 7 days

If necessary, the period of use can be extended following consultation with the vet. Do not exceed the recommended feeding quantity due to the high bentonite content.

Notes:

Avoid simultaneous oral administration of macrolides. Before feeding, set the adjusting ring with the left-hand edge to the quantity to be administered to avoid an excessive input quantity. Under no circumstances should the pet be placed on its back during administration, since it can easily choke in this position. If pets do not consume the product of their own accord, carefully place the injector in the side of the mouth and give small portions that the pet can swallow on its own. Do not use in case of intestinal obstruction. Pets with diarrhoea or constipation must always be taken to a vet, since digestive disorders can have severe consequences.

Store away from light and not above 25 °C.

Durability:

24 months

Trading form:

36 ml (3 x 12 ml)